




8 7 6 5 4 3 2 1

D
C
B


D
C
B



SECTION A-A



SECTION B-B



MATERIAL: AISI 4140HT STEEL
HEAT TREAT: PRE-HEAT TREAT, 27-32 HRC
FINISH: PAINT OSHA YELLOW - MASK INTERNAL GEAR
MATING PART: ACRADYNE P/N 26497

⊙ .002 A

FILLET ROOT SIDE FIT SPLINE DATA TABLE	
DIAMETRAL PITCH:	20/40
PRESSURE ANGLE:	30°
NUMBER OF TEETH:	44
PITCH Ø:	2.2000
MAJOR Ø:	2.3000
MINOR Ø:	2.1500
PIN Ø:	0.0864
DISTANCE BETWEEN PINS:	2.0817 $\begin{matrix} +.0000 \\ -.0025 \end{matrix}$
DIMENSIONS AND TOLERANCE PER ANSI B92.1	

A

A



DOCUMENT CONTROL
 PRINTED COPIES OF THIS DOCUMENT ARE CONSIDERED TO BE UNCONTROLLED DOCUMENTS. HOLDERS ARE RESPONSIBLE FOR VERIFYING THE CURRENT REVISION LEVEL WITH PURCHASING OR ENGINEERING PRIOR TO USE OR FABRICATION. THE CONTROLLED VERSION OF THIS DOCUMENT IS ELECTRONICALLY MAINTAINED.

PROPRIETARY AND CONFIDENTIAL
 THIS DRAWING CONTAINS INFORMATION STRICTLY CONFIDENTIAL TO ACRADYNE/AIMCO. IN THE ABSENCE OF EXPRESSED WRITTEN PERMISSION, ACRADYNE/AIMCO HAS LOANED THIS COPY WITH THE MUTUAL UNDERSTANDING THAT (A) IT WILL NOT BE USED FOR ANY PURPOSE OTHER THAN FOR THAT IN WHICH IT WAS PROVIDED, (B) THE DATA CONTAINED HEREIN WILL NOT BE DISCLOSED TO OTHERS, (C) IT WILL NOT BE REPRODUCED, AND (D) IT WILL BE RETURNED TO ACRADYNE/AIMCO IMMEDIATELY UPON DEMAND.

REVISION LEVEL	REVISION RELEASE DATE	DESCRIPTION OF CHANGES MADE TO PART	ECN #	AUTHOR/ APPROVAL

REVISION BLOCK

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES
 DIMENSIONS AND TOLERANCING PER ANSI Y14.5
 SURFACE ROUGHNESS PER ANSI Y14.36

BLOCK TOLERANCING PER DECIMAL:
 .X = ±.030 .XX = ±.010 .XXX = ±.005 .XXXX = ±.0005
 ANGLE = ±0° 30'

REMOVE BURRS AND SHARP EDGES: R.015 MAX
 MACHINE SURFACE FINISH: 125 RMS OR BETTER

DRAWINGS AND TECHNICAL DOCUMENTS CONTROLLED BY:
ACRADYNE MECHANICAL ENGINEERING

**REACTION BAR,
 FLAT DOUBLE END
 6000-SERIES**

SIZE B	PART / DRAWING NUMBER 26830	REVISION D
SCALE 1:2	DO NOT SCALE DRAWING	SHEET 1 OF 1

8 7 6 5 4 3 2 1